

A VERSATILE COMBINATION SPREADER THAT CAN SPREAD MANY MATERIALS



Bulk Material Spreaders

Standard PTO and Hydraulic Models



What
do you want
to Spread?

- Compost
- Poultry manure
- Stockpiled (wet or damp) Ag lime
- Gypsum
- Marl
- Dewatered sludge
- Fertilizer
- Much more

Suspension

All BMS spreaders come standard with a heavy duty walking beam suspension eliminating spindle stress caused by torsion axles. Handles any load...no problem.

Discover the Stoltzfus Difference

More versatile Legendary reliability Tougher than ever

For farmers who don't want to own separate spreaders for both lime and bulkier materials such as chicken litter and compost, the Bulk Material Spreader is a combination spreader that can spread most materials. Unlike many litter spreaders, the Bulk Material Spreader is rugged enough for spreading stockpiled lime. It can even be fitted with a fertilizer package, allowing rates as low as 200 lbs/acre.

Standard features

- 5, 8, & 15 ton capacities
- Premium walking beam suspension
- Proven PTO driveline
- 30" slat style conveyor chain
- Sawtooth Delivery™ feature
- Fill-for-life heavy duty gearbox
- Top driven dual hydraulic spinners
- Unibody, fully welded design
- 7 gage Cor-Ten® HSLA steel pan
- HDPE liner over pan
- 53-degree body sides
- Structural steel frame
- Carbon-steel hopper
- Extra body braces
- Telescoping chain tighteners
- Self-aligning idler shaft
- Bolt-in spindles
- Hydraulic valve (open/closed center tractor)
- Inverted "V" center cover



Ingenious engineering

Our testing found that sides with a 53° slope provide the best combination of material flow and capacity, and our much-copied 4" vertical pan design eliminates bridging.



Unibody construction

Bulk Material Spreaders are actually one solid weldment. That's what makes them so strong. Even the supporting ribs are welded every inch where they attach to the body.



Difference in the details

For example, placing the spinner motor above the material flow reduces exposure to corrosive materials. Furthermore, it eliminates vibration and isolates the motor from the shock of material pounding on the spinner disk.

"I know there are a lot of litter spreaders out there, but when you have one that's built like a tank and is doing the job, why look? It has a great spread pattern and I get good service too." — Randy, Veedersburg, IN

"The Stoltzfus spreader is well designed and works great. The folks that make them are a pleasure to deal with and very helpful." — Ellen, Purcellville, VA

"I have a 20 year old 5 ton spreader. It is one solid built spreader. You have the best parts service in the world." — John, Ukiah, CA



The BMS Spreader spreads:

- Compost
- Poultry manure
- Stockpiled (wet or damp) Ag lime
- Gypsum
- Marl
- Dewatered Sludge
- Lime-stabilized sludge
- Mushroom soil
- Fertilizer
- Sand
- Crushed shells
- Cement plant stack dust
- Wood shavings
- Mulch
- Earth

Ask us about your most challenging material.



Smoother material flow

Our special Sawtooth Delivery™ feature prevents material surges for low rates of fertilizer.



Heavy duty drive train

Proven PTO drive system and dual speed drives eliminates slipping.



Optional shredder

Heavy duty blades chop up any clumps and gives a smoother flow of material onto the spinners.



Optional tail lights

Add lights to increase visibility.



1-800-843-8731

StoltzfusSpreaders.com



All Stoltzfus Bulk Material Spreaders can be configured with hydraulic drives. Your choice of manual controls or Variable Rate Ready (compatible with your Raven controller).

Upgrade to Variable Rate Technology for better utilization of valuable nutrient inputs.

Popular options

- Fertilizer kit for rates down to 200 lbs/acre
- Hydraulic body chain (plug to tractor)
- Self-contained PTO hydraulic drives
- Variable Rate Ready (compatible with your Raven controller)
- Corner pockets (for sideboards)
- Flotation tires
- Lights
- Tarp & bow
- Roll top tarp
- Brakes
- Cor-Ten® HSLA steel hopper
- 304 Stainless steel hopper
- Shredder (breaks up large clumps before they hit the spinners)
- Agitator (prevents sludge from bridging in hopper)
- PTO spinners



Optional self contained PTO Hydraulic option with oversized oil tank.



Variable Rate Ready option (compatible with your Raven controller).

STOLTZFUS BULK MATERIAL SPREADER SPECIFICATIONS

Models	5010	8016	1516	1520
Max. load	5 tons	8 tons	15 tons	15 tons
Hopper volume	137 cu.ft.	225 cu.ft.	225 cu.ft.	400 cu.ft.
Hopper volume	110 bu.	180 bu.	180 bu..	320 bu.
Hopper length	10 ft.	16 ft.	16 ft.	20 ft.
Hopper width	74 in.	74 in.	74 in.	84 in.
Hopper depth	37 in.	37 in.	37 in.	49 in.
Overall length	18 ft.	24 ft.	24 ft.	28 ft.
Overall width	79 in.	94 in.	94 in.	102 in.
Overall height	71 in.	78 in.	78 in.	89 in.
Wheel track (center)	68 in.	80 in.	80 in.	80 in.
Standard tires	11L x 15 8 ply	19L x 16.1 10 ply	21.5L x 16.1 14 ply	21.5L x 16.1 14 ply
Weight	3,700 lbs.	5,000 lbs.	5,700 lbs.	6,700 lbs



1-800-843-8731

StoltzfusSpreaders.com

Morgantown, PA 19543

Dealer information: